

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/791,036	03/02/2004	Eric J. Hull	109909-136740	1261
25943	7590 03/09/2006		EXAMINER	
	E, WILLIAMSON & V	SMITH, SHEILA B		
PACWEST CENTER, SUITE 1900 1211 SW FIFTH AVENUE			ART UNIT	PAPER NUMBER
PORTLANI	O, OR 97204		2681	
			DATE MAILED: 03/09/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/791,036	HULL ET AL.			
Office Action Summary	Examiner	Art Unit			
	Sheila B. Smith	2681			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
 Responsive to communication(s) filed on <u>11 December 2003</u>. This action is FINAL. 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. 					
Disposition of Claims					
4) Claim(s) 60-72 and 74-79 is/are pending in the 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 60-72,74-79 is/are rejected. 7) Claim(s) 73 is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correction in the original part of the correction is objected to by the Examiner is placed.	on from consideration. The election requirement. The epted or b) □ objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required if the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s) is objected to by the election is required in the drawing(s).	37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5/20/04.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa				

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 60-72, and 74-79 rejected under 35 U.S.C. 103(a) as being unpatentable over Williams et al. (U. S Patent Number 6,753,842) in view of Motohashi et al. (U. S. Patent Number 5,546,078)

Regarding claim 60, Williams et al. discloses all of the claimed invention as set forth in the instant application, additionally Williams et at. discloses a mobile electronic communication device (106) comprising: a transceiver (112), a light unit (124), and a processor unit (126) coupled to the transceiver (112) and light unit (124), wherein the processor unit is configured to cause the light unit to output light from a selected one of the light sources to indicate a source of a received message (which reads on column 4 lines 6-13 and exhibited in figure 1). However Williams et al. fails to disclose having a plurality of light sources.

In the same field of endeavor Motohashi et al. discloses a paging receiver capable of reporting the time of paging connection. Motohashi et al. further discloses a plurality of light sources (which reads on column 4 lines 1-21).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to improve Williams et al. by modifying the system and method for

Application/Control Number: 10/791,036

Art Unit: 2681

backlighting control in a wireless communication device with a plurality of light sources as taught by Motohashi et al. for the purpose of informing the user of the message.

Regarding claim 61, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a mobile electronic communication device is configured to receive messages of two or more types, wherein the processor unit is configured to cause the light unit to output the light with modulation that depends on the received message's type (which reads on column 1 lines 41-49 and column 3 lines 23-35).

Regarding claim 62, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a electronic communication device of claim 60, wherein the selected one of the light sources being lit is associated with a contact, and the message is received from the associated contact (which reads on column 4 lines 1-21).

Regarding claim 63, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a light unit can simultaneously illuminate another light source to indicate that a message has been received from a contact associated with the other light source (which reads on column 3 lines 23-35).

Regarding claim 64, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a the processor unit is configured to cause the light unit to output light with modulation that depends on an age of a message received by the mobile electronic communication device (which reads on column 4 lines 1-21).

Regarding claim 65, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a modulated light has a color that depends on the relative age of a received message (which reads on column 1 lines 41-49).

Regarding claim 66, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a modulated light has a blinking rate that indicates a number of unread messages received from a contact (which reads on column 4 lines 1-21).

Regarding claim 67, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a message is a most recent message received from a contact (which reads on column 3 lines 23-35).

Regarding claim 68, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a message is an unread message received from the contact (which reads on column 4 lines 1-21).

Regarding claim 69, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a relative age is indicated using a plurality of predetermined age categories (which reads on column 1 lines 41-49).

Regarding claim 70, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a age category of the plurality of age categories is represented by a predetermined color of light that can be outputted by the light unit (which reads on column 3 lines 23-35).

Application/Control Number: 10/791,036

Art Unit: 2681

Regarding claim 71, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a age category of the plurality of age categories is represented by a predetermined number of light flashes within a cycle (which reads on column 4 lines 1-21).

Regarding claim 72, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a message is a SMS message (which reads on column 3 lines 23-35).

Regarding claim 74, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a light unit comprises an LED circuit having a plurality of LEDS configured to selectively output light having a color selected from a set of a plurality of preselected colors (which reads on column 3 lines 23-35).

Regarding claim 75, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a mobile electronic communication device (106) comprising. a transceiver (112), and means coupled to the transceiver to output light (124) to indicate a source of a received message (which reads on column 3 lines 23-35).

Regarding claim 76, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a mobile electronic communication device is configured to receive messages of two or more types, wherein said means is configured to output light with modulation that depends on the received message's type (which reads on column 1 lines 41-49).

Application/Control Number: 10/791,036 Page 6

Art Unit: 2681

Regarding claim 77, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a means is configured to output light with modulation that depends on an age of a message received by the mobile electronic communication device (which reads on column 4 lines 1-21).

Regarding claim 78, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a output light is associated with a contact, and the message is received from the associated contact (which reads on column 3 lines 23-35).

Regarding claim 79, Williams et al. in view of Motohashi et al. discloses everything claimed as applied above (see claim 60) additionally, Williams et al. discloses a mobile electronic communication device is configured to receive messages of two or more types, wherein said means is configured to output light with modulation that depends on the received message's type and an age of the message received (which reads on column 1 lines 41-49).

Allowable Subject Matter

2. Claim 73 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/791,036 Page 7

Art Unit: 2681

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sheila B. Smith whose telephone number is (571)272-7847. The examiner can normally be reached on Monday-Thursday 6:00 am - 3:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on 571-272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

S. Smith \$. Smith \$. March 5, 2006

JOSEPH FEILD